

**Mikrosize®**

# MS10003

## Electronic Balance



### Contact us

**Mikrosize Precision Instrument Co.,Ltd**

A-4035 RuiFeng Business Expo, Wuhu City, China , 241000.

Web:[www.mikrosize.com](http://www.mikrosize.com)

Email:[mikrosize@mikrosize.com](mailto:mikrosize@mikrosize.com)



Web:[www.mikrosize.com](http://www.mikrosize.com)

Email:[mikrosize@mikrosize.com](mailto:mikrosize@mikrosize.com)

## Product Feature

### Product Features

- Outstanding sampling accuracy;
- RS232 connectivity;
- It has External Calibration;
- Easy-to-use indicator;
- Conveniently portable.



### Product Application

- It has the advantages of high precision, fast, stable, easy to read and record data, etc. It is widely used in commercial, industrial, medical, family and other fields.

# Technical Specifications

Model	MS10003
Capacity	0~1000g
Calibration	External Calibration
Accuracy Class	CLASS I
Readability	1mg
Linearity	±2mg
Repeatability	±2mg
Pan size	90mm
Output Interface	RS232
Dimensions	34*21.5*31cm
Net Wight	7kg
Power Supply	Universal Adaptor AC110-240V
Material	Aluminium/Plastic